

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2'	11144	(713/1 713/2 713/100 709/220 709/221 709/222)	US-PGPUB; USPAT	OR	OFF	2006/08/18 12:47
L3	811	1 and ((client device node) adj3 (boot\$5 configur\$5)) same (server boot\$server bootserver)	US-PGPUB; USPAT	OR	ON	2006/08/18 12:50
L4	85	1 and (((client device node) adj3 (boot\$5 configur\$5)) same (server boot\$server bootserver)same list)	US-PGPUB; USPAT	OR	ON	2006/08/18 12:50
L5	946	((((client device node) adj3 (boot\$5 configur\$5)) same (server boot\$server bootserver)same list)	US-PGPUB; USPAT	OR	ON	2006/08/18 12:50
S1	10134	709/222 709/220 709/227 713/2 713/1 "395"/\$.cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/24 16:47
S2	2	S1 and (multiple with boot with server\$1) and (error adj message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 23:04
S3	31	S1 and (multiple with boot with server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/24 16:48
S4	112	boot adj informat\$3	USPAT	OR	OFF	2004/08/18 19:01
S5	4	(boot adj informat\$3) with network	USPAT	OR	OFF	2004/02/23 18:32
S6	18	(boot near2 informat\$3) with network	USPAT	OR	OFF	2004/02/23 18:32
S7	24	(boot near3 informat\$3) with network	USPAT	OR	OFF	2004/02/23 18:32
S8	1	((boot near3 informat\$3) with network) with remote	USPAT	OR	OFF	2004/02/23 18:33
S9	381	boot near2 informat\$3	USPAT	OR	OFF	2004/02/23 18:46
S10	1	(boot near2 informat\$3) and (multiple near2 server) with boot	USPAT	OR	OFF	2004/02/23 18:46
S11	7	(boot near2 informat\$3) and (multiple near2 server)	USPAT	OR	OFF	2004/12/29 22:55
S12	10	"6212566"	USPAT	OR	OFF	2004/02/24 13:26
S13	148	slave adj logic	USPAT	OR	OFF	2004/02/24 19:02
S14	1	"6606649"	USPAT	OR	OFF	2004/02/24 19:02
S15	2	multiple adj boot adj server\$1	USPAT	OR	OFF	2004/03/05 16:11
S16	20	boot adj servers	USPAT	OR	OFF	2004/03/05 16:11

EAST Search History

S17	0	(boot adj servers) and (client adj configuration)	USPAT	OR	OFF	2004/03/05 16:12
S18	16	(boot adj servers) and (client and configuration)	USPAT	OR	OFF	2004/03/05 16:13
S19	1	(boot adj servers) and (client and configuration) and ftp	USPAT	OR	OFF	2004/03/05 17:11
S20	0	(boot adj servers) and (client with configuration) and ftp	USPAT	OR	OFF	2004/03/05 16:14
S21	0	(boot adj servers) and (client\$3 with configuration) and ftp	USPAT	OR	OFF	2004/03/05 16:14
S22	2	(boot adj servers) and (client\$3 with configuration)	USPAT	OR	OFF	2004/03/05 16:14
S23	263	tftp	USPAT	OR	OFF	2004/03/05 17:12
S24	11	tftp and (boot adj servers)	USPAT	OR	OFF	2004/08/18 19:06
S25	0	tftp and (boot adj servers) and (client\$1 adj configuration\$1)	USPAT	OR	OFF	2004/03/05 17:13
S26	0	tftp and (boot adj servers) and (client\$1 adj configur\$7)	USPAT	OR	OFF	2004/03/05 17:13
S27	11	tftp and (boot adj servers) and (client\$1 near (boot adj servers) configur\$7)	USPAT	OR	OFF	2004/03/05 17:13
S28	10	tftp and (boot adj servers) and (client\$1 near (boot adj servers) configur\$7) and send\$3 and request and receiv\$3	USPAT	OR	OFF	2004/03/05 17:14
S29	0	tftp and (boot adj servers) and (client\$1 near (boot adj servers) configur\$7) and send\$3 and request and receiv\$3 and (boot adj strap)	USPAT	OR	OFF	2004/12/29 22:46
S30	10	tftp and (boot adj servers) and (client\$1 near (boot adj servers) configur\$7) and send\$3 and request and receiv\$3 and (bootstrap)	USPAT	OR	OFF	2004/03/05 17:18
S31	0	tftp and (boot adj servers) and (client\$1 near (boot adj servers) configur\$7) and send\$3 and (configur\$7 adj request) and receiv\$3 and (bootstrap)	USPAT	OR	OFF	2004/03/05 17:18
S32	1538	709/221	USPAT	OR	OFF	2004/03/05 18:20
S33	17	multiple with boot with server\$1	USPAT	OR	OFF	2004/08/24 16:41
S34	2	(multiple with boot with server\$1) and (client with list)	USPAT	OR	OFF	2004/08/18 19:02
S35	2	"5739685"	USPAT	OR	OFF	2004/12/29 22:46

EAST Search History

S36	10	client same (boot near2 server\$1 boot\$server\$1) same list same request same client\$1	US-PGPUB; USPAT	OR	OFF	2004/12/29 22:56
S37	10	client\$1 same (boot near2 server\$1 boot\$server\$1) same list same request same client\$1	US-PGPUB; USPAT	OR	OFF	2004/12/29 22:56
S38	33	"586327" "6490677" "6735692" "6317826" "6810478" 2001/0056462	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 23:06
S39	386	S38 (boot near server\$1) boot\$server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 23:06
S40	40	S38 and (boot near server\$1) boot\$server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 23:09
S41	0	S38 and ((boot near server\$1) boot\$server\$1) near10 list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 23:07
S42	13	S38 and (boot near server\$1) boot\$server\$1 and (client with boot with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 10:58
S43	33	"586327" "6490677" "6735692" "6317826" "6810478" 2001/0056462	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 19:08
S44	11	("586327" "6490677" "6735692" "6317826" "6810478" 2001/0056462). pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 12:38
S45	43	(MULTIPLE and BOOT and SERVER\$1).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 14:51
S46	17	(multiple list\$1) near4 (boot\$server\$1 (boot near server\$1))	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 14:53

EAST Search History

S47	23	("5068780" "5280627" "5349643" "5444850" "5452454" "5519870" "5577210" "5680547" "5828888" "5960175" "5974547" "6003097" "6185623" "6301612" "6421777" "6490677" "6532537" "6532538" "6601096" "6601166" "6684326" "6687820" "6735692").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/03 15:00
S48	2	S47 and (boot near2 servers)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/03 15:01
S49	163	(boot\$3 near2 servers)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/03 16:02
S50	77	(boot\$3 near2 servers)	USPAT	OR	OFF	2005/01/03 16:03
S51	27	(713/1 713/2 713/100) and (boot\$3 near2 servers)	USPAT	OR	OFF	2005/01/03 16:53
S52	47	(boot and list and server\$1).clm.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/03 16:40
S53	4	(boot with list with server\$1).clm.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/03 16:05
S54	15	(boot and list and server\$1).clm.	USPAT	OR	OFF	2005/01/03 16:40
S55	1	(713/1 713/2 713/100) and (boot\$3 near2 servers) and (configur\$7 with list with server\$1)	USPAT	OR	OFF	2006/08/18 12:45
S56	9	"6463530"	USPAT	OR	OFF	2005/01/03 16:54
S57	3	"6606643"	USPAT	OR	OFF	2005/01/03 18:11
S58	35	client with server with list with (send\$3 transmit\$3 receiv\$3) with (boot\$5 config\$8 initial\$8)	USPAT	OR	OFF	2005/01/03 18:23
S59	2	client with server with list with (send\$3 transmit\$3 receiv\$3) with (boot\$5 config\$8 initial\$8) and tftp	USPAT	OR	OFF	2005/01/03 18:21
S60	2	client with server with list with (send\$3 transmit\$3 receiv\$3) with (boot\$5 image config\$8 initial\$8) and tftp	USPAT	OR	OFF	2005/01/03 18:51
S61	267	(server near2 list) and (load near2 balanc\$3)	USPAT	OR	OFF	2005/01/03 18:52
S62	2	(server near2 list) and (load near2 balanc\$3) and boot and tftp	USPAT	OR	OFF	2005/01/03 18:55
S63	6	(server near2 list) and (load near2 balanc\$3) and (boot configuration initial\$8 boot image) and tftp	USPAT	OR	OFF	2005/01/03 18:56

EAST Search History

S64	235	(server near2 list) and (load near2 balanc\$3) and (boot configuration initiali\$8 boot image)	USPAT	OR	OFF	2005/01/03 18:57
S65	34	(server near2 list near5 client) and (load near2 balanc\$3) and (boot configuration initiali\$8 boot image)	USPAT	OR	OFF	2005/01/03 18:58
S66	3	(server near2 list near5 client near10 (send\$3 transmit\$6 reciev\$3)) and (load near2 balanc\$3) and (boot configuration initiali\$8 boot image)	USPAT	OR	OFF	2005/01/03 19:04
S67	18	("4594656" "4714996" "4847754" "4887204" "4897781" "5072378" "5113519" "5133075" "5151989" "5263165" "5265235" "5285528" "5287521" "5319780" "5327556" "5388196" "5442758" "5452459").pn.	USPAT	OR	OFF	2005/01/03 19:05
S68	13	S67 and list	USPAT	OR	OFF	2005/01/03 19:05
S69	3	S67 and list near3 server	USPAT	OR	OFF	2005/01/03 19:06
S70	16	client with boot with server with list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 19:46
S71	39	server adj send\$3 adj2 list	USPAT	OR	OFF	2005/01/03 20:37
S72	16	(server adj send\$3 adj2 list) with client	USPAT	OR	OFF	2005/01/03 19:48
S73	709	server near list	USPAT	OR	OFF	2005/01/03 20:37
S74	156	S73 with client	USPAT	OR	OFF	2005/01/03 20:38
S75	0	S73 with client with boot	USPAT	OR	OFF	2005/01/03 20:38
S76	1	S73 with client with configuration	USPAT	OR	OFF	2005/01/03 20:41
S77	61	tftp near server	USPAT	OR	OFF	2005/01/03 20:44
S78	1	tftp near server with list	USPAT	OR	OFF	2005/01/03 20:41
S79	4	S77 and load near balancing	USPAT	OR	OFF	2005/01/03 20:44
S80	25	boot adj servers	USPAT	OR	OFF	2005/01/03 20:54
S81	2	boot adj servers with list	USPAT	OR	OFF	2005/01/03 21:28
S82	8	("4815076").URPN.	USPAT	OR	OFF	2005/01/03 21:17
S83	1	(boot\$server boot near server\$1) near list	USPAT	OR	OFF	2005/01/03 21:30
S84	1	(boot\$server boot near server\$1) near (list table)	USPAT	OR	OFF	2005/01/03 21:31
S85	1	(boot\$server\$1 boot near server\$1) near (list table)	USPAT	OR	OFF	2005/01/03 21:31
S86	1	(boot\$server\$1 boot near server\$1) near (list table metadata)	USPAT	OR	OFF	2005/01/03 21:36

EAST Search History

S87	19	(boot\$server\$1 boot near server\$1) near (list table file information metadata)	USPAT	OR	OFF	2005/01/03 21:38
S88	7	(boot\$server\$1 boot near server\$1) near (list table file information metadata) with client\$1	USPAT	OR	OFF	2005/01/03 21:38